



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-0201	197	1	90	142	3.3	2.5	2.3
TNF-0202	197	2	180	232	6	4.6	4.3
TNF-0203	197	3	270	322	8.8	6.7	6.3
TNF-0204	197	4	360	412	11.5	8.8	8.2
TNF-0205	197	5	450	502	14.3	11	10.3
TNF-0206	197	6	540	592	17	13.1	12.2
TNF-0207	197	7	630	682	19.7	15.1	14.1
TNF-0208	197	8	720	772	22.5	17.3	16.2
TNF-0209	197	9	810	862	25.2	19.4	18.1
TNF-0210	197	10	900	952	28	21.5	20.1
TNF-0211	197	11	990	1042	30.7	23.6	22.1
TNF-0212	197	12	1080	1132	33.4	25.7	24
TNF-0213	197	13	1170	1222	36.2	27.8	26
TNF-0214	197	14	1260	1312	39	30	28
TNF-0215	197	15	1350	1402	41.7	32.1	30
TNF-0216	197	16	1440	1492	44.4	34.1	31.9
TNF-0217	197	17	1530	1582	47.1	36.2	33.9
TNF-0218	197	18	1620	1672	49.9	38.4	35.9
TNF-0219	197	19	1710	1762	52.6	40.5	37.8
TNF-0220	197	20	1800	1852	55.4	42.6	39.8



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-0301	295	1	90	171	8.1	6.2	5.8
TNF-0302	295	2	180	261	14.2	10.9	10.2
TNF-0303	295	3	270	351	20.4	15.7	14.6
TNF-0304	295	4	360	441	26.5	20.4	19
TNF-0305	295	5	450	531	32.7	25.1	23.5
TNF-0306	295	6	540	621	38.8	29.8	27.9
TNF-0307	295	7	630	711	45	34.6	32.4
TNF-0308	295	8	720	801	51	39.2	36.7
TNF-0309	295	9	810	891	57.2	44	41.1
TNF-0310	295	10	900	981	63.4	48.8	45.6
TNF-0311	295	11	990	1071	69.5	53.5	50
TNF-0312	295	12	1080	1161	75.7	58.2	54.5
TNF-0313	295	13	1170	1251	81.8	62.9	58.9
TNF-0314	295	14	1260	1341	88	67.76	63.3
TNF-0315	295	15	1350	1431	94	72.3	67.6
TNF-0316	295	16	1440	1521	100.3	77.2	72.2
TNF-0317	295	17	1530	1611	106.4	81.9	76.6
TNF-0318	295	18	1620	1701	112.6	86.7	81
TNF-0319	295	19	1710	1791	118.7	91.4	85.4
TNF-0320	295	20	1800	1881	124.9	96.1	89.9


**FLAT BOTTOM SILOS**


MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-0401	393	1	90	204	15.6	12	11.2
TNF-0402	393	2	180	294	26.5	20.4	19
TNF-0403	393	3	270	384	37.4	28.8	26.9
TNF-0404	393	4	360	474	48.3	37.2	34.7
TNF-0405	393	5	450	564	59.2	45.6	42.6
TNF-0406	393	6	540	654	70.1	54	50.4
TNF-0407	393	7	630	744	81	62.4	58.3
TNF-0408	393	8	720	834	92	70.8	66.2
TNF-0409	393	9	810	924	102.9	79.2	74.1
TNF-0410	393	10	900	1014	113.8	87.6	81.9
TNF-0411	393	11	990	1104	124.7	96	89.8
TNF-0412	393	12	1080	1194	135.6	104.4	97.6
TNF-0413	393	13	1170	1284	146.5	112.8	105.5
TNF-0414	393	14	1260	1374	157.4	121.2	113.3
TNF-0415	393	15	1350	1464	168.3	129.6	121.1
TNF-0416	393	16	1440	1554	179.2	138	129
TNF-0417	393	17	1530	1644	190	146.3	136.8
TNF-0418	393	18	1620	1734	201	154.7	144.7
TNF-0419	393	19	1710	1824	212	163.2	152.6
TNF-0420	393	20	1800	1914	222.9	171.6	160.5



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-0501	492	1	90	235	26	20	19
TNF-0502	492	2	180	325	43	33	31
TNF-0503	492	3	270	415	60	46	43
TNF-0504	492	4	360	505	77	59	55
TNF-0505	492	5	450	595	94	72	68
TNF-0506	492	6	540	685	112	86	81
TNF-0507	492	7	630	775	129	99	93
TNF-0508	492	8	720	865	146	112	105
TNF-0509	492	9	810	955	163	125	117
TNF-0510	492	10	900	1045	180	139	130
TNF-0511	492	11	990	1135	197	152	142
TNF-0512	492	12	1080	1225	214	165	154
TNF-0513	492	13	1170	1315	231	178	166
TNF-0514	492	14	1260	1405	248	191	179
TNF-0515	492	15	1350	1495	265	204	191
TNF-0516	492	16	1440	1585	283	218	204
TNF-0517	492	17	1530	1675	300	231	216
TNF-0518	492	18	1620	1765	317	244	228
TNF-0519	492	19	1710	1855	334	257	240
TNF-0520	492	20	1800	1945	351	270	253



T.A.N.N Group

Quality is our credit



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-0601	590	1	90	263	40	31	29
TNF-0602	590	2	180	353	65	50	47
TNF-0603	590	3	270	443	89	69	64
TNF-0604	590	4	360	533	114	88	82
TNF-0605	590	5	450	623	138	106	99
TNF-0606	590	6	540	713	163	125	117
TNF-0607	590	7	630	803	188	145	135
TNF-0608	590	8	720	893	212	163	153
TNF-0609	590	9	810	983	237	182	171
TNF-0610	590	10	900	1073	261	201	188
TNF-0611	590	11	990	1163	286	220	206
TNF-0612	590	12	1080	1253	311	239	224
TNF-0613	590	13	1170	1343	335	258	241
TNF-0614	590	14	1260	1433	360	277	259
TNF-0615	590	15	1350	1523	384	296	276
TNF-0616	590	16	1440	1613	409	315	294
TNF-0617	590	17	1530	1703	434	334	312
TNF-0618	590	18	1620	1793	458	353	330
TNF-0619	590	19	1710	1883	483	372	348
TNF-0620	590	20	1800	1973	507	390	365

[www.tannsilos.com](http://www.tannsilos.com)

Factory: Sanat Blvd, Industrial Town No. 1, Najafabad, Isfahan, Iran, Phone: +989128695032 +989128306524

Office: No. 72, Unit 2, Aghaghia Blvd, Tehran, Iran, P.oBox: 1494916864 Phone: +982144736257



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-0701	688	1	90	288	58	45	42
TNF-0702	688	2	180	378	91	70	65
TNF-0703	688	3	270	468	125	96	90
TNF-0704	688	4	360	558	158	122	114
TNF-0705	688	5	450	648	192	148	138
TNF-0706	688	6	540	738	225	173	162
TNF-0707	688	7	630	828	258	199	186
TNF-0708	688	8	720	918	292	225	210
TNF-0709	688	9	810	1008	325	250	234
TNF-0710	688	10	900	1098	359	276	258
TNF-0711	688	11	990	1188	392	302	282
TNF-0712	688	12	1080	1278	425	327	306
TNF-0713	688	13	1170	1368	459	353	330
TNF-0714	688	14	1260	1458	492	379	354
TNF-0715	688	15	1350	1548	526	405	379
TNF-0716	688	16	1440	1638	559	430	402
TNF-0717	688	17	1530	1728	592	456	426
TNF-0718	688	18	1620	1818	626	482	451
TNF-0719	688	19	1710	1908	659	507	474
TNF-0720	688	20	1800	1998	693	534	499



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-0801	787	1	90	309	81	62	58
TNF-0802	787	2	180	399	124	95	89
TNF-0803	787	3	270	489	168	129	121
TNF-0804	787	4	360	579	212	163	152
TNF-0805	787	5	450	669	255	196	183
TNF-0806	787	6	540	759	299	230	215
TNF-0807	787	7	630	849	343	264	247
TNF-0808	787	8	720	939	386	297	278
TNF-0809	787	9	810	1029	430	331	309
TNF-0810	787	10	900	1119	474	365	341
TNF-0811	787	11	990	1209	518	399	373
TNF-0812	787	12	1080	1299	561	432	404
TNF-0813	787	13	1170	1389	605	466	435
TNF-0814	787	14	1260	1479	649	500	467
TNF-0815	787	15	1350	1569	692	533	498
TNF-0816	787	16	1440	1659	736	567	530
TNF-0817	787	17	1530	1749	780	600	561
TNF-0818	787	18	1620	1839	823	634	592
TNF-0819	787	19	1710	1929	867	667	624
TNF-0820	787	20	1800	2019	911	701	656



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-0901	885	1	90	334	108	83	77
TNF-0902	885	2	180	424	163	125	117
TNF-0903	885	3	270	514	218	168	157
TNF-0904	885	4	360	604	274	211	197
TNF-0905	885	5	450	694	329	253	237
TNF-0906	885	6	540	784	384	295	276
TNF-0907	885	7	630	874	440	339	317
TNF-0908	885	8	720	964	495	381	356
TNF-0909	885	9	810	1054	550	423	396
TNF-0910	885	10	900	1144	605	466	435
TNF-0911	885	11	990	1234	661	509	476
TNF-0912	885	12	1080	1324	716	551	515
TNF-0913	885	13	1170	1414	771	593	555
TNF-0914	885	14	1260	1504	827	637	595
TNF-0915	885	15	1350	1594	882	679	635
TNF-0916	885	16	1440	1684	937	721	674
TNF-0917	885	17	1530	1774	993	764	715
TNF-0918	885	18	1620	1864	1048	807	754
TNF-0919	885	19	1710	1954	1103	849	794
TNF-0920	885	20	1800	2044	1158	891	833





## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-1001	984	1	90	380	141	109	101
TNF-1002	984	2	180	470	209	161	150
TNF-1003	984	3	270	560	277	213	199
TNF-1004	984	4	360	650	346	266	249
TNF-1005	984	5	450	740	414	319	298
TNF-1006	984	6	540	830	483	372	348
TNF-1007	984	7	630	920	551	424	397
TNF-1008	984	8	720	1010	619	477	446
TNF-1009	984	9	810	1100	688	530	495
TNF-1010	984	10	900	1190	756	582	544
TNF-1011	984	11	990	1280	825	635	594
TNF-1012	984	12	1080	1370	893	688	643
TNF-1013	984	13	1170	1460	961	740	692
TNF-1014	984	14	1260	1550	1030	793	742
TNF-1015	984	15	1350	1640	1098	845	791
TNF-1016	984	16	1440	1730	1167	899	840
TNF-1017	984	17	1530	1820	1235	951	889
TNF-1018	984	18	1620	1910	1304	1004	939
TNF-1019	984	19	1710	2000	1372	1056	988
TNF-1020	984	20	1800	2090	1440	1109	1037



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-1101	1082	1	90	408	180	138	129
TNF-1102	1082	2	180	498	263	202	189
TNF-1103	1082	3	270	588	346	266	249
TNF-1104	1082	4	360	678	429	330	309
TNF-1105	1082	5	450	768	511	393	368
TNF-1106	1082	6	540	858	594	457	427
TNF-1107	1082	7	630	948	677	521	487
TNF-1108	1082	8	720	1038	759	584	546
TNF-1109	1082	9	810	1128	842	648	606
TNF-1110	1082	10	900	1218	925	712	666
TNF-1111	1082	11	990	1308	1008	776	725
TNF-1112	1082	12	1080	1398	1090	839	785
TNF-1113	1082	13	1170	1488	1173	903	844
TNF-1114	1082	14	1260	1578	1256	967	904
TNF-1115	1082	15	1350	1668	1338	1030	963
TNF-1116	1082	16	1440	1758	1421	1094	1023
TNF-1117	1082	17	1530	1848	1504	1158	1083
TNF-1118	1082	18	1620	1938	1586	1221	1142
TNF-1119	1082	19	1710	2028	1669	1285	1201
TNF-1120	1082	20	1800	2118	1752	1349	1261



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-1201	1181	1	90	436	225	173	162
TNF-1202	1181	2	180	526	324	249	233
TNF-1203	1181	3	270	616	422	325	304
TNF-1204	1181	4	360	706	521	401	375
TNF-1205	1181	5	450	796	619	476	445
TNF-1206	1181	6	540	886	718	553	517
TNF-1207	1181	7	630	976	816	628	587
TNF-1208	1181	8	720	1066	915	704	659
TNF-1209	1181	9	810	1156	1013	780	729
TNF-1210	1181	10	900	1246	1112	856	800
TNF-1211	1181	11	990	1336	1210	931	871
TNF-1212	1181	12	1080	1426	1309	1008	942
TNF-1213	1181	13	1170	1516	1407	1083	1013
TNF-1214	1181	14	1260	1606	1506	1159	1084
TNF-1215	1181	15	1350	1696	1604	1235	1155
TNF-1216	1181	16	1440	1786	1703	1311	1226
TNF-1217	1181	17	1530	1876	1801	1387	1296
TNF-1218	1181	18	1620	1966	1900	1463	1368
TNF-1219	1181	19	1710	2056	1998	1538	1438
TNF-1220	1181	20	1800	2146	2097	1614	1510



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-1301	1279	1	90	465	276	212	198
TNF-1302	1279	2	180	555	392	301	282
TNF-1303	1279	3	270	645	507	390	365
TNF-1304	1279	4	360	735	623	479	448
TNF-1305	1279	5	450	825	738	568	531
TNF-1306	1279	6	540	915	854	657	614
TNF-1307	1279	7	630	1005	970	747	698
TNF-1308	1279	8	720	1095	1085	835	781
TNF-1309	1279	9	810	1185	1201	924	864
TNF-1310	1279	10	900	1275	1316	1013	947
TNF-1311	1279	11	990	1365	1432	1102	1031
TNF-1312	1279	12	1080	1455	1547	1191	1113
TNF-1313	1279	13	1170	1545	1663	1280	1197
TNF-1314	1279	14	1260	1635	1779	1369	1281
TNF-1315	1279	15	1350	1725	1894	1458	1363
TNF-1316	1279	16	1440	1815	2010	1547	1447
TNF-1317	1279	17	1530	1905	2125	1636	1530
TNF-1318	1279	18	1620	1995	2241	1725	1613
TNF-1319	1279	19	1710	2085	2356	1814	1696
TNF-1320	1279	20	1800	2175	2472	1903	1779



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-1401	1377	1	90	492	335	258	241
TNF-1402	1377	2	180	582	469	361	337
TNF-1403	1377	3	270	672	603	464	434
TNF-1404	1377	4	360	762	737	567	530
TNF-1405	1377	5	450	852	870	670	626
TNF-1406	1377	6	540	942	1004	773	722
TNF-1407	1377	7	630	1032	1138	876	819
TNF-1408	1377	8	720	1122	1272	979	915
TNF-1409	1377	9	810	1212	1406	1082	1012
TNF-1410	1377	10	900	1302	1540	1185	1108
TNF-1411	1377	11	990	1392	1674	1289	1205
TNF-1412	1377	12	1080	1482	1808	1392	1301
TNF-1413	1377	13	1170	1572	1942	1495	1398
TNF-1414	1377	14	1260	1662	2076	1598	1494
TNF-1415	1377	15	1350	1752	2210	1701	1591
TNF-1416	1377	16	1440	1842	2344	1805	1687
TNF-1417	1377	17	1530	1932	2478	1908	1784
TNF-1418	1377	18	1620	2022	2612	2011	1880
TNF-1419	1377	19	1710	2112	2746	2114	1977
TNF-1420	1377	20	1800	2202	2880	2217	2073



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-1501	1476	1	90	522	401	308	288
TNF-1502	1476	2	180	612	554	426	398
TNF-1503	1476	3	270	702	708	545	509
TNF-1504	1476	4	360	792	862	663	620
TNF-1505	1476	5	450	882	1016	782	731
TNF-1506	1476	6	540	972	1170	901	842
TNF-1507	1476	7	630	1062	1324	1019	953
TNF-1508	1476	8	720	1152	1478	1138	1064
TNF-1509	1476	9	810	1242	1632	1256	1175
TNF-1510	1476	10	900	1332	1786	1375	1286
TNF-1511	1476	11	990	1422	1940	1493	1396
TNF-1512	1476	12	1080	1512	2093	1611	1507
TNF-1513	1476	13	1170	1602	2247	1730	1617
TNF-1514	1476	14	1260	1692	2401	1848	1728
TNF-1515	1476	15	1350	1782	2555	1967	1839
TNF-1516	1476	16	1440	1872	2709	2086	1950
TNF-1517	1476	17	1530	1962	2863	2204	2061
TNF-1518	1476	18	1620	2052	3017	2323	2172
TNF-1519	1476	19	1710	2142	3171	2441	2283
TNF-1520	1476	20	1800	2232	3325	2560	2394



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-1601	1574	1	90	550	474	365	341
TNF-1602	1574	2	180	640	649	499	467
TNF-1603	1574	3	270	730	824	634	593
TNF-1604	1574	4	360	820	999	769	719
TNF-1605	1574	5	450	910	1174	904	845
TNF-1606	1574	6	540	1000	1349	1038	971
TNF-1607	1574	7	630	1090	1524	1173	1097
TNF-1608	1574	8	720	1180	1699	1308	1223
TNF-1609	1574	9	810	1270	1874	1443	1349
TNF-1610	1574	10	900	1360	2049	1577	1475
TNF-1611	1574	11	990	1450	2224	1712	1601
TNF-1612	1574	12	1080	1540	2399	1847	1727
TNF-1613	1574	13	1170	1630	2574	1982	1853
TNF-1614	1574	14	1260	1720	2749	2116	1979
TNF-1615	1574	15	1350	1810	2924	2251	2105
TNF-1616	1574	16	1440	1900	3099	2386	2231
TNF-1617	1574	17	1530	1990	3274	2521	2357
TNF-1618	1574	18	1620	2080	3449	2655	2483
TNF-1619	1574	19	1710	2170	3624	2790	2609
TNF-1620	1574	20	1800	2260	3799	2925	2735



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-1701	1673	1	90	59	556	428	400
TNF-1702	1673	2	180	669	754	580	542
TNF-1703	1673	3	270	759	952	733	685
TNF-1704	1673	4	360	849	1150	885	828
TNF-1705	1673	5	450	939	1347	1037	969
TNF-1706	1673	6	540	1029	1545	1189	1112
TNF-1707	1673	7	630	1119	1743	1342	1255
TNF-1708	1673	8	720	1209	1941	1494	1397
TNF-1709	1673	9	810	1299	2138	1646	1539
TNF-1710	1673	10	900	1389	2336	1798	1682
TNF-1711	1673	11	990	1479	2534	1951	1824
TNF-1712	1673	12	1080	1569	2731	2103	1966
TNF-1713	1673	13	1170	1659	2929	2255	2109
TNF-1714	1673	14	1260	1749	3127	2407	2251
TNF-1715	1673	15	1350	1839	3325	2560	2394
TNF-1716	1673	16	1440	1929	3522	2712	2535
TNF-1717	1673	17	1530	2019	3720	2864	2678
TNF-1718	1673	18	1620	2109	3918	3017	2821
TNF-1719	1673	19	1710	2199	4116	3169	2963
TNF-1720	1673	20	1800	2289	4313	3321	3105





## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-1801	1771	1	90	607	647	498	465
TNF-1802	1771	2	180	697	869	669	625
TNF-1803	1771	3	270	787	1090	839	784
TNF-1804	1771	4	360	877	1312	1010	944
TNF-1805	1771	5	450	967	1534	1181	1104
TNF-1806	1771	6	540	1057	1755	1351	1263
TNF-1807	1771	7	630	1147	1977	1522	1423
TNF-1808	1771	8	720	1237	2198	1692	1582
TNF-1809	1771	9	810	1327	2420	1863	1742
TNF-1810	1771	10	900	1417	2642	2034	1902
TNF-1811	1771	11	990	1507	2863	2204	2061
TNF-1812	1771	12	1080	1597	3085	2375	2221
TNF-1813	1771	13	1170	1687	3306	2545	2380
TNF-1814	1771	14	1260	1777	3528	2716	2540
TNF-1815	1771	15	1350	1867	3749	2886	2699
TNF-1816	1771	16	1440	1957	3971	3057	2859
TNF-1817	1771	17	1530	2047	4193	3228	3019
TNF-1818	1771	18	1620	2137	4414	3398	3178
TNF-1819	1771	19	1710	2227	4636	3569	3338
TNF-1820	1771	20	1800	2317	4857	3740	3497



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-1901	1870	1	90	636	748	576	538
TNF-1902	1870	2	180	726	995	766	716
TNF-1903	1870	3	270	816	1242	956	894
TNF-1904	1870	4	360	906	1489	1146	1072
TNF-1905	1870	5	450	996	1736	1336	1250
TNF-1906	1870	6	540	1086	1983	1527	1427
TNF-1907	1870	7	630	1176	2230	1717	1605
TNF-1908	1870	8	720	1266	2477	1907	1783
TNF-1909	1870	9	810	1356	2724	2097	1961
TNF-1910	1870	10	900	1446	2971	2287	2139
TNF-1911	1870	11	990	1536	3218	2478	2317
TNF-1912	1870	12	1080	1626	3465	2668	2494
TNF-1913	1870	13	1170	1716	3712	2858	2672
TNF-1914	1870	14	1260	1806	3959	3048	2850
TNF-1915	1870	15	1350	1896	4206	3238	3028
TNF-1916	1870	16	1440	1986	4453	3428	3206
TNF-1917	1870	17	1530	2076	4700	3619	3384
TNF-1918	1870	18	1620	2166	4947	3809	3561
TNF-1919	1870	19	1710	2256	5194	3999	3739
TNF-1920	1870	20	1800	2346	5441	4189	3917



## FLAT BOTTOM SILOS



MODEL	Diameter (cm)	Number of Rings	Eaves Height (cm)	Overall Height (cm)	Capacity (m <sup>3</sup> )	Wheat (770)(T)	Corn (720)(T)
TNF-2001	1968	1	90	664	856	659	616
TNF-2002	1968	2	180	754	1130	870	813
TNF-2003	1968	3	270	844	1403	1080	1010
TNF-2004	1968	4	360	934	1677	1291	1207
TNF-2005	1968	5	450	1024	1951	1502	1404
TNF-2006	1968	6	540	1114	2224	1712	1601
TNF-2007	1968	7	630	1204	2498	1923	1798
TNF-2008	1968	8	720	1294	2772	2134	1995
TNF-2009	1968	9	810	1384	3045	2344	2192
TNF-2010	1968	10	900	1474	3319	2555	2389
TNF-2011	1968	11	990	1564	3593	2766	2587
TNF-2012	1968	12	1080	1654	3866	2976	2783
TNF-2013	1968	13	1170	1744	4140	3187	2980
TNF-2014	1968	14	1260	1834	4413	3398	3177
TNF-2015	1968	15	1350	1924	4687	3609	3374
TNF-2016	1968	16	1440	2014	4961	3820	3572
TNF-2017	1968	17	1530	2104	5234	4030	3768
TNF-2018	1968	18	1620	2194	5508	4241	3965
TNF-2019	1968	19	1710	2284	5782	4452	4163
TNF-2020	1968	20	1800	2374	6055	4662	4359